

## Mark schemes

- 1.** (a) 148 1
- (b) D and E 1
- (c) line between B and 86 protons 1
- same line between B and 222 mass number 1
- (d) can't predict which nucleus will decay next
- or**
- can't predict when a (particular) nucleus will decay 1
- (e) one alpha decay would decrease proton number by 2 1
- two beta decays would increase proton number by 2 1
- so the proton / atomic number of the final nucleus is the same as the proton / atomic number of the original nucleus
- this mark is dependent on scoring the first two marks* 1
- [8]**
- 2.** (a) Any **one** from:
- (medical) x-rays  
*allow CT scans*
  - radiotherapy
  - nuclear weapons (testing)  
*allow nuclear fallout*
  - named nuclear disaster e.g. Chernobyl / Fukushima / Three Mile Island.  
*ignore radioactive / nuclear waste*
- 1
- (b) uranium / plutonium  
*ignore any number given*  
*allow thorium*
- 1

(c) neutron absorbed by a uranium nucleus

1

nucleus splits into two parts

*allow an atom splits into two parts if 1<sup>st</sup> marking point doesn't score*

1

and (2/3) neutrons (are released)

1

and gamma rays (are emitted)

1

(d) lighter nuclei join to form heavier nuclei

*allow specific examples*

1

some of the mass (of the nuclei) is converted to energy (of radiation)

1

(e) activity decreases quickly

*allow nuclei / waste will decay at a greater rate*

*ignore waste is radioactive for less time*

1

risk of harm decreases quickly

*allow burial site doesn't need to be monitored for as long*

**or**

*doesn't need to be buried underground for as long*

**or**

*may not need to be buried underground*

1

[10]

3.

(a)  ${}_{82}^{206}\text{Pb}$

2

- (b) alpha radiation is highly ionising

1

causing an increased risk of cancer

**or**

organ failure

**or**

radiation sickness / poisoning

**or**

mutation of genes / DNA

**or**

damage to cells / tissues / organs

*allow kill cells*

1

until the radioactive material is removed / excreted

*allow all the alpha radiation is absorbed by the body***or**

activity of radioactive material reaches / approaches background radiation levels

*ignore references to half-life*

1

- (c)

*an answer of  $1.16 \times 10^{-3}$  (g) scores 3 marks*

$$\frac{414}{138} = 3 \text{ (half-lives)}$$

1

$$1.45 \times 10^{-4} \times 2 \times 2 \times 2$$

1

$$= 1.16 \times 10^{-3} \text{ (g)}$$

**or**

$$= 0.00116 \text{ (g)}$$

1

**[8]****4.**

- (a) smoke absorbs / stops alpha radiation

*allow alpha particles for alpha radiation**alpha radiation does not reach the detector is insufficient*

1

- (b) alpha radiation is not very penetrating

*allow alpha particles for alpha radiation***or**

alpha radiation does not penetrate skin

*allow alpha radiation does not travel very far (in air)*

1

- (c) beta and gamma radiation will penetrate smoke  
*allow beta and gamma radiation will not be stopped by smoke* 1
- no change (in the count rate) would be detected  
*allow the change detected (in the count rate) would be too small* 1
- (d) (a long half-life means) the count rate is (approximately) constant  
*allow activity of source is (approximately) constant*
- or**  
 a short half-life means the count rate decreases quickly 1
- until 1.3 half-lives the count rate is above 80 per second  
*allow after 1.3 half-lives the count rate is below 80 per second*
- or**  
 until 1.3 half-lives the count rate is above the threshold for the smoke alarm to be activated
- or**  
 after 1.3 half-lives the smoke alarm will be activated all the time  
*so don't have to replace source or smoke detector is insufficient* 1
- (e) **Level 2:** Relevant points (reasons / causes) are identified, given in detail and logically linked to form a clear account. 3-4
- Level 1:** Relevant points (reasons / causes) are identified, and there are attempts at logically linking. The resulting account is not fully clear. 1-2
- No relevant content** 0
- Indicative content**
- short half-life or half-life of a few hours
  - (short half-life means) less damage to cells / tissues / organs / body
  - low ionising power
  - (low ionising power means) less damage to cells / tissues / organs / body
  - highly penetrating
  - (highly penetrating means) it can be detected outside the body
  - emits gamma radiation

- 5.** (a) any **three** from:
- no carbon dioxide emitted (to produce electricity)  
*no greenhouse gases is insufficient*
  - doesn't cause global warming  
*allow climate change or greenhouse effect for global warming*
  - nuclear power doesn't cause earthquakes
  - more energy released per kg of fuel (compared to shale gas)
- 3
- (b) uranium  
**or**  
plutonium  
*ignore any numbers given*
- 1
- (c) a neutron is absorbed by a (large) nucleus  
*a description in terms of only atoms negates first two marking points*
- 1
- the nucleus splits into two (smaller) nuclei
- 1
- releasing energy (and gamma rays)
- 1
- and (two / three) neutrons
- 1
- [8]**
- 6.** (a) a uranium nucleus
- 1
- absorbs a neutron
- 1
- (uranium-236 nucleus) splits into two smaller nuclei  
**or**  
Kr and Ba nuclei  
**or**  
krypton and barium nuclei
- 1
- and releases 3 neutrons and energy
- 1

- (b) light nuclei 1
- join to form a heavier nucleus
- allow hydrogen nuclei for light nuclei*
- allow helium nucleus for heavier nucleus* 1
- (some of the) mass of the nuclei is converted to energy
- allow particles for nuclei* 1
- (c) any **two** from:
- easy to obtain / extract
  - available in (very) large amounts
  - releases more energy (per kg)
- do **not** accept figures **only***
- naturally occurring is insufficient*
- seawater is renewable is insufficient*
- less cost is insufficient*
- allow produces little / no radioactive waste* 2

**[9]****7.**

- (a) most alpha particles pass straight through the atom 1
- which shows that the atom is mostly empty space 1
- very few alpha particles are deflected through a large angle 1
- which shows the atom contains a nucleus where the mass / charge of the atom is concentrated 1
- (b) electron may absorb electromagnetic radiation
- full credit may be scored for a description of an electron emitting electromagnetic radiation* 1
- (and) move further from the nucleus 1
- to a higher energy level 1

**[7]****8.**

- (a) Nucleus splitting into two fragments and releasing two or three neutrons 1


(at least one) fission neutron shown to be absorbed by additional large nucleus and causing fission

1

two or three additional neutrons released from fission reaction

1

*This diagram would gain all 3 marks:*



(b) lowering the control rods increases the number of neutrons absorbed  
*accept converse description*

1

(so) energy released decreases

1

*allow changing the position of the control rods affects the number of neutrons absorbed for 1 mark*

(c) rate of increase between 240 and 276 (MW / min)

2

*allow 1 mark for attempt to calculate gradient of line at 10 minutes*

[7]