

M1.(a) (i) Clear statement that for isothermal  $pV = \text{constant}$  or  $p_1V_1 = p_2V_2$  ✓

Applies this to any 2 points on the curve AB ✓

e.g.  $1.0 \times 10^5 \times 1.2 \times 10^{-3} = 4.8 \times 10^5 \times 0.25 \times 10^{-3}$   $120 = 120$

Allow  $pV = c$  applied to intermediate points **estimated** from graph e.g.  $V = 0.39 \times 10^{-3}$ ,  $p = 3 \times 10^5$

2

(ii)  $W = p \Delta v$   
 $= 4.8 \times 10^5 \times (0.39 - 0.25) \times 10^{-3}$   
 $= 67 \text{ J}$  ✓

1

(b)

	Q / J	W / J	$\Delta U$ / J	
process A $\rightarrow$ B	-188	-188	0	✓
process B $\rightarrow$ C	+235	(+)67	(+)168	✓
process C $\rightarrow$ A	0	+168	-168	✓
whole cycle	+47	+47	0	✓

Any horiz line correct up to max 3  
 Give CE in B  $\rightarrow$  C if ans to ii used for W  
If no sign take as +ve

max 3

(c)  $\eta_{\text{overall}} = 47 / 235 = 0.20$  or 20% ✓

1

(d) Isothermal process would require engine to run very slowly / be made of material of high heat conductivity ✓  
 Adiabatic process has to occur very rapidly / require perfectly insulating container / has no heat transfer ✓  
 Very difficult to meet both requirements in the same device ✓  
 Very difficult to arrange for heating to stop exactly in the right place (C) so that at end of expansion the curve meets the isothermal at A ✓

Do not credit bald statement to effect  
 adiabatic / isothermal process not possible - must give  
 reason  
 Ignore mention of valves opening / closing, rounded corners,  
 friction, induction / exhaust strokes  
 wtte

max 2

[9]

M2. (a) (i)  $p_2 = p_1 (V_2/V_1)^{1.4} = 1.0 \times 10^5 (2.1/1.2)^{1.4} \checkmark$

OR  $1.0 \times 10^5 \times (2.1 \times 10^{-5})^{1.4} = p_2 \times ((1.2 \times 10^{-5})^{1.4}) \checkmark$

$p_2 = 2.2 \times 10^5 \text{ Pa} \checkmark$

2

(ii)  $T_2 = \frac{p_2 V_2 T_1}{p_1 V_1} = \frac{2.2 \times 10^5 \times (1.2 \times 10^{-5}) \times 290}{1.0 \times 10^5 \times 2.1 \times 10^{-5}} \checkmark$

OR use of  $p_1 V_1 = nRT_1$ , to find  $n$  or  $nR$  and substitute in

$p_2 V_2 = nRT_2$  to find  $T_2 \checkmark$

$T_2 = 360 \text{ K} \checkmark$  2 sig fig  $\checkmark$

3

(b)  $(Q = W + \Delta U)$

$Q = 0$  (and  $W$  negative)  $\checkmark$

So  $\Delta U (= -W) = 1.4 \text{ J} \checkmark$

2

(c) (slow) compression is (nearly) isothermal / at constant temperature  $\checkmark$

greater change in volume needed to rise to same final pressure  $\checkmark$

(OR correct  $p$ - $V$  sketches showing adiabatic and isothermal processes  $\checkmark$  )

hence less / piston pushed in further  $\checkmark$

3

[10]

M3. (a) (i) use of  $PV/T = \text{constant}$

$$\frac{P_D V_D T_A}{P_A V_A} \checkmark$$
$$= \frac{2.5 \times 1.0 \times 300}{1.5 \times 1.0} \checkmark = 500 \text{ K}$$

2

(ii)  $Q = \Delta U + W$

$$\Delta U = 0 \checkmark$$

$$Q = W = 173 \text{ J} \checkmark$$

2

(b) (i) work out =  $173 - 104 = 69 \text{ J} \checkmark$


1

(ii) efficiency =  $69/173 = 0.40$  or 40%  $\checkmark$

$$\eta_{\text{max}} = (T_H - T_C)/T_H$$
$$= (500 - 300)/500$$
$$= 0.39 \text{ or } 40\% \checkmark$$

2

(c)



rectangle in correct position  $\checkmark$

letters correct place ✓✓ (arrows optional)

2

- (d)
- *isothermal process impossible unless very slow or via perfect conductor*
  - *engine would have to stop for constant volume processes to take place*
  - *regenerator would lose heat to surroundings (unless perfectly insulated)*
  - *long time needed for heat to transfer from regenerator to working fluid*
  - *regenerator would need to be very large/large surface area for heat transfer to take place quickly*  
*accept other sensible suggestions*  
**do not** accept 'heat loss to surroundings' or 'friction'

any two ✓✓✓

2

[11]

- M4.(a)**  $\Delta Q$ : (heat) energy supplied to the gas **(1)**  
 $\Delta U$ : increase in internal energy of the gas **(1)**  
 $\Delta W$ : (mechanical) work done by the gas **(1)**

3

(b)

	$\Delta Q$	$\Delta U$	$\Delta W$
constant volume		+10.0 (kJ) <b>(1)</b>	0 <b>(1)</b>
isothermal	+6.0 (kJ) <b>(1)</b>	0 <b>(1)</b>	

4

[7]

